



**Specifications Philips LED Panel**  
**CoreLine RC132V 34W 3600lm - 840**  
**Cool White | 120x30cm - UGR <19 -**  
**Dali Dimmable - Emergency 3H**

[View Product](#)

## General Information

SKU	246304
EAN	8720169013834
Brand	Philips
Manufacturer Name	RC132V G5 36S/840 PSD W30L120OCELB3W4W2
Any Lamp all-in warranty	5 Years
Average Lifetime (h)	50000
Series	RC132V

## Technical Information

Technology	LED Integrated
Replaces (Watt)	2x36
Wattage	34
Voltage (V)	220-240
Dimmable	Dimmable with Dali
Colour Code	840 Cool White
Colour temperature (Kelvin)	4000 Cool White
Colour Rendering (Ra)	80-89
Colour of Light	White
Light colour options	Single Color
Including bulb	Yes

Amount of bulbs required	1
Luminous Flux (Lumen)	3600
Luminous Efficacy (lm/W)	106
IP-rating	IP20
Impact Protection (IK)	IK03 - 0.35 joule
Fixture Connection	PI [Push-in connector 4-pole]
Finish of Reflector	Acrylate
Power factor	>0.90
Product Type Category	LED Panel

## Fixture Information

EOC8	01383400
Mounting Method	Recessed
Unified Glare Rating	< 19 - for offices and schools
Optical Cover	PS (Polystyrene)
Operating Temperature	0 to +35
Emergency Lighting	3H Emergency Light
Colour of the Fixture	White
Housing	Steel
Colour of material	White

## Dimensions

LED panel size	120x30cm
Length (mm)	1195
Width (mm)	295
Height (mm)	70

## Sensor Information

Type of sensor

No Sensor

### Why Any-lamp?



Order from the **largest lighting specialist** in Europe



**Customised** quotation



Up to **7 years warranty**



**Easy** return process

